



FIG. 1B







FIG. 1E








FIG. 1F

FIG. 1D

FIG. 1E

FIG. 1F






FIG. 2A




FIG. 2  
FIG. 2A    FIG. 2B



REFERRING CONTENT PAGE 35





FIG. 2B





7/26




FIG. 3






FIG. 4






FIG. 5



FIG. 6A






FIG. 6B




FIG. 6A

FIG. 6B

FIG. 6



FIG. 7






FIG. 8







FIG. 9A



900






FIG. 9B

FIG. 9

FIG. 9A

FIG. 9B



FIG. 10






FIG. 11







FIG. 12









FIG. 13



FIG. 14









FIG. 15



FIG. 16

1600








FIG. 17






FIG. 18






FIG. 19 - Transition Sensor Start Method



**# Section 1 - Applet Player Java Class Configuration**

**playerName=AppletViewerPopup**

**playerClass=com.unicast.adcontroller.players.AppletViewerPopup**

**# Section 2 - Ad Java Classes Configuration**

**AppletViewerPopup.adAppletName=ANM\_AnimationLoaderApplet**

**AppletViewerPopup.adAppletClass=**

**com.pointcast.applets.AnimationApplet.ANM\_AnimationLoaderApplet**

**# Section 3 - Player Execution Configuration**

**AppletViewerPopup.windowTitle=AdController PointCast Ad**

**AppletViewerPopup.playerRefreshRate=1000**

**AppletViewerPopup.allowExit=true**

**AppletViewerPopup.xPosition=50**

**AppletViewerPopup.yPosition=50**

**AppletViewerPopup.windowWidth=280**

**AppletViewerPopup.windowHeight=355**

**AppletViewerPopup.isResizable=false**

**AppletViewerPopup.secondsWindowsOpen=180**

**AppletViewerPopup.secondsToOverlay=1**

**AppletViewerPopup.closeButtonLabel=Close**

**AppletViewerPopup.openButtonLabel=More Info**

**AppletViewerPopup.saveButtonLabel=Save**

**AppletViewerPopup.openURL=http://www.pointcast.com/**

**# Section 4 - Ad Applet Configuration**

**# A. Ad Applet DocumentBase**

**AppletViewerPopup.ANM\_AnimationLoaderApplet.documentBase=**

**http://www2.unicast.com/~rlandsma/AdController/MacromediaApplet/**

**# B. Ad Applet Parameters**

**AppletViewerPopup.ANM\_AnimationLoaderApplet.AdToPlay=deepsea.anm**

**AppletViewerPopup.ANM\_AnimationLoaderApplet.AltImage=test.gif**

**AppletViewerPopup.ANM\_AnimationLoaderApplet.MaxCycles=5**

**AppletViewerPopup.ANM\_AnimationLoaderApplet.TargetURL=http://www.pointcast.com/**

**AppletViewerPopup.ANM\_AnimationLoaderApplet.TargetFrame=\_top**

**AppletViewerPopup.ANM\_AnimationLoaderApplet.BorderWidth=2**

**AppletViewerPopup.ANM\_AnimationLoaderApplet.BorderType=Standard**

**# C. Ad Applet MediaList**

**AppletViewerPopup.ANM\_AnimationLoaderApplet.mediaURLList=new**

**AppletViewerPopup.ANM\_AnimationLoaderApplet.mediaURLList.size=2**

**AppletViewerPopup.ANM\_AnimationLoaderApplet.mediaURLList.element0=deepsea.anm**

**AppletViewerPopup.ANM\_AnimationLoaderApplet.mediaURLList.element0=animApplet.jar**

2000

FIG. 20